



# INDEX MAPS.

E

T. 11 N. R. 10 W. 2<sup>nd</sup> Mer.



T. 12 N. R. 10 W. 2<sup>nd</sup> Mer.



The figures on the lines refer to the page.

# Township N. 11 North of Range N. 10 West of the 2<sup>d</sup> & 3<sup>d</sup> Mer. Sec.

191  
C. 142.  
160

## South Boundary

East On a Random line On the South B<sup>y</sup> of 31. T. 11. N. R. 10 W.  
36.50 Top Brook 4 miles wide, learner S.  
40.00 Set a timber post in the post April 21. 1811  
80.00 " " " post for the cn of sec 31 & 32.  
Land R<sup>st</sup> rate bottom land is very rich and  
various Timber Sugar. Maple Walnut & Ash

East On a Random line On the South B<sup>y</sup> of sec. 32.  
T. 11. N. R. 10 W.  
7.50 Top Brook. 20 lbs wide, learner S.E.  
15.50 To the Right B<sup>y</sup> of the Matash River  
The South B<sup>y</sup> of T. 11. N. R. 10 W West of the Matash  
lies in the State of Illinois.  
2386. Set a timber post on the Left B<sup>y</sup> of the Matash  
40.00 Set a timber post in the post  
80.00 Set a timber post for the cn of sec 32 & 33.  
Land R<sup>st</sup> rate bottom.

East On a Random line On the South B<sup>y</sup> of sec. 33.  
T. 11. N. R. 10 W.  
40.00 Set a timber post in the post  
51.93 To a brook or Bayou 100 lbs wide, learner N.E.  
80.00 Set a timber post for the cn of sec 33 & 34  
Land R<sup>st</sup> rate bottom Timber Locust Walnut, ash  
and Elm,

East On a Random line On the South B<sup>y</sup> of sec. 34  
T. 11. N. R. 10 W.  
Enter a prairie.  
40.00 Set a timber post in the post  
80.00 Set a " post for the cn of sec 34 & 35  
This mile prairie 2<sup>d</sup> rate; Good land for farming  
High and overgrown

East On a Random line On the South B<sup>y</sup> of sec. 35.

	T. 11. N. R. 10. W
40.00	Set a temporary 7/8 cup post.
80.00	Set a temporary post for the corner of sec. 35 & 36. Sound the same.
East	On a Range line On the South R. of sec. 36. T. 11. N. R. 10 W
40.00	Set a temporary 7/8 cup post.
75.41	Intersect the Range line 255 lbs North of the corner T. 10 & 11. N. R. 9 & 10 W. Sound hole and thinly timbered with oaks & Hickory, soil sandy & thin
West	April 25. 1881. T. 11. N. R. 10 W C. 160 On the true line On the South R. of sec. 36. T. 11. N. R. 10 W
40.00	Set a temporary 7/8 cup post on the true line from which N. 100. 18 in diam. bears S 67 E. 175 lbs dist. to Loc. 16 " " " N 49 W 206 " "
80.00	Set a temporary post on the true line for the corner of sec. 35 & 36. from which N. 100. 14 in diam. bears S 45 E. 94 lbs dist. under " Loc. 14 " " " S 25 W 126 " "
West	On the true line On the South R. of sec. 35 T. 11. N. R. 10 W
40.00	Set the temporary 7/8 cup post on the true line from which. In prairie. No bearing trees
80.00	Set the temporary post on the true line for the corner of sec. 34 & 35 In prairie. No bearing trees.
West	On the true line On the South R. of sec. 34. T. 11. N. R. 10 W
40.00	Set the temporary 7/8 cup post at the true line in prairie. No bearing trees
80.00	Set the temporary post on the true line for the corner of sec. 33 & 34 from which N. 100. 10 in diam. bears S 78 W 195 lbs dist. under " Loc. 12 " " " N 31 W 128 " "

T. N. N. R. R. 1872 and 193

West	On the New Line On the East of Sec. 33. T. N. R. 107
40.00	Set the trip. 1/4 support on the New Line from which, Elm. 13 in diam. beam. 19 & 28 lbs. ash, or Hickory 7 1/2 " " 55 & 5 " "
80.00	Set a trip. 1/4 post on the New Line for the ca of sec 32 & 33. from which, Oak. 12 in diam. beam. 1 & 44 lbs. ash; or Oak. 30 " " " 136 & 75 " "
West	On the New Line On the East of Sec. 32. T. N. R. 107.
40.00	Set a 1/4 support on the New Line for the ca of 1/4 sec from which, Coffers 10 in diam. beam. 11 & 7.42 lbs. ash and a " Oak. 10 " " " 113 & 30 " "
51.10	Set a post for the ca of sec 32 on the Left Bank of the Ma- bush River from which, Maple. 12 in diam. beam. 161 & 14 lbs. ash, or Coffers 36 " " " 170 & 11 " "
60.95	Set a post on the Right Bank of the Mabush River for the ca of sec. 32 from which, Red Oak 6 in diam. beam. 157 & 3 lbs. ash, or Hickory 18 " " " 134 & 73 " "
The remainder of the New Line is in the State of Illinois.	

East Boundary N. 60° 45'	
North	On the East Boundary of Sec 36. T. N. R. 107
20.00	Enter a wet prairie.
37.00	Open prairie.
40.00	Set a 1/4 support from which, Hickory 9 in diam. beam. 114 & 7.40 lbs. ash, or Oak. 10 " " " 131 & 103 " "
70.00	Enter a prairie.
80.00	Set a post for the ca of sec 35 & 36. from which, Oak. 10 in diam. beam. 155 & 7.4. 61 lbs. ash; The last 7 mile good land for farming



194

T. N. H. N. R. N. 10 W 2<sup>nd</sup> New. Area.  
 Sub sandy Timber Oak & Hickory

North	On the East Boundary of sec. 25 T. 11. N. R. 10.
40.00	Set a 1/4 section from which No bearing line.
80.00	Set a post for the cn of sec. 24 & 25 from which, Prospectus in prairie. No bearing line. Land 2 <sup>nd</sup> rate prairie Dry & sandy soil.
North	On the East Boundary of sec. 24 T. 11. N. R. 10 W.
20.00	Crossed the prairie. 1/4 to 4 <sup>th</sup> o'clock, Sept. 20. 1841
35.50	To a corner 70 lbs wide, Corner S W
37.00	" " Do. 70 " " " " S. E.
40.00	Set a 1/4 section from which On 10 in dia <sup>r</sup> beam. S 29 E. 23 lbs. each; to Do. 10 " " " " " " S 29 W. 19 " "
80.00	A Sugar 6 in dia <sup>r</sup> sticks for the cn of sec. 13 & 24 & a Hackberry 10 in dia <sup>r</sup> beam. N 30 E. 30 lbs. each; Land good for farming; last 1/2 mile creek bottom Timber Sugar. Ash, Hackberry, & Buckeye, & c. Bottom rich.
North	On the East B <sup>y</sup> of sec. 13 T. 11. N. R. 10 W
4.00	To a corner 70 lbs wide, Corner S W
8.50	" " Do. 70 " " " " S. E.
10.50	" " Do. 70 " " " " S W
30.00	Enter a prairie.
40.00	Set a 1/4 section from which, In prairie. P. Oak 14 in dia <sup>r</sup> beam S 36 E. 808 lbs. each;
70.00	Crossed the prairie.
80.00	Set a post for the cn of sec. 12 & 13 from which, Hack. 10 in dia <sup>r</sup> beam. S 6 E. 104 lbs. each; to Do. 10 " " " " " " N 67 E. W 134 " "
	Land good for farming The prairie dry & good land for plowing 2 <sup>nd</sup> rate.

See

T. N. 11. N. R. N. 10 W 2<sup>nd</sup> Mer. Sec. 195

North  
40.00 On the East Bdry of sec. 12. T. 11. N. R. 10 W  
Set a 7/4 cu post from which,  
P Oak, 36 in dia. here. N 12 W. 98 lbs ash;  
80.00 Set a post for the cor of sec 1 & 12 from which,  
Hick, 10 in dia. here. South 23 lbs ash; to  
N Horn 9 " " " N 65 W. 6 " "  
Land bet 1/2 mile good for farming; not much  
timber: last 1/2 mile river bottom which overflows.

North  
85.9 On the East Bdry of sec. 1. T. 11. N. R. 10 W  
Set a post on the Left BR of the Wabash River for the  
cor of sec. 1. from which,  
Red Bud 5 in dia. here. N 49 E. 19 lbs ash; to,  
Do. 6 " " " N 13 W. 22 " "  
19.65. Set a post on the Right BR of the Wabash River for the  
cor of Grad. Sec 1. from which on  
Elm. 9 in dia. here. N 2 E. 20 lbs ash; to  
Sycamore 12 " " " S 75 E. 16 " "  
40.00 Set a 7/4 cu post from which,  
Walnut 6 in dia. here. S 21 E. 11 lbs ash; to  
Elm. 18 " " " N 39 W. 26 " "  
80.00 Set a temporary post for the cor of T. 11. N. R. 9 W 10 W  
Land bet 1/2 mile bet river bottom. which overflows.  
last 1/2 mile low water bottom overflows. 10 or 12 feet.

[A part of the Long line lies in Illinois]  
North Boundary. April 28. 1811  
East  
Oak Run line On the South Bdry of sec. 33.  
T. 12. N. R. 10 W  
40.00 Set a temporary 7/4 cu post.  
80.00 " " " post for the cor of sec. 33 & 34  
Land level and not 3<sup>rd</sup> order; Timber Oak & Hick

East  
40.00 Oak Run line On the South Bdry of 34.  
T. 12. N. R. 10 W  
Set a temporary 7/4 cu post

No 6 Camp

0171

Acorn

48.00 Long Brook 5 1/2 miles, Corner N.E.  
 80.00 Set a trap for the corner of sec 34 T35.  
 Land rather broken and not good Timber Oak,  
 Beech, Sugar & Poplar. Ash &c.

East On a Random line On the South D.M. of sec. 35.  
 J. 12th N.R. 10th

13.00 Long Brook 8 1/2 miles, Corner S.

22.50 Long Brook 504 " " "

40.00 Set a trap for the corner of sec.

80.00 " " " " " " " " " " " "

Land rather better than last 1/2 mile good for farming  
 Timber Buckeye, Sugar, Poplar, Ash &c.

East On a Random line On the South D.M. of sec. 36.  
 J. 12th N.R. 10th

40.00 Set a trap for the corner of sec.

76.85. Intersect the Range line 102 1/2 miles North of the post corner  
 of J. 11th N.R. 9th 10th

Land rather better than last 1/2 mile good for farming  
 rich soil last 1/2 mile water bottom which overflows

West On the true line On the South D.M. of sec. 36.  
 J. 12th N.R. 10th May 3rd 1841.

40.00 Set a trap for the corner of sec.  
 Maple 11 in diam. trees. 80th 10 1/2 miles, or  
 except 8 " " " " " " " " " " " "

80.00 Set a post trap on the true line for the corner of sec 35 T36.  
 Beech 12 in diam. trees. 115th 6 1/2 miles, or  
 116th 18 " " " " " " " " " " " "

West On the true line On the South D.M. of sec. 35.  
 J. 12th N.R. 10th

40.00 Set the trap for the corner of sec. 35 from which  
 Sugar 10 in diam. trees 87th 13 1/2 miles, or  
 88th 9 " " " " " " " " " " " "

T. N. H. St R No 1071 2<sup>nd</sup> Mar Ind. 197

80.00	Set the trip. post on the new line for the cor. of sec. 34 & 35. from which N Oak. 12 in dist. bears N 15 W. 24 lbs. ash and a Sugar. 11 " " " N 72 E. 49 " "
West	On the new line On the South Borne of sec. 34 T. 12. N. R. 10 W.
40.00	Set the trip. post on the new line from which N Oak. 78 in dist. bears N 20 W. the ash; to Logwood 8 " " " N 79 E. 27 " "
80.00	Set the trip. post on the new line for the cor. of sec. 33 & 34 from which in R Oak. 7 in dist. bears N 35 E. 15 lbs. ash; and a N Oak. 7 " " " N 11 E. 26 " "
West	On the new line On the South B. of sec. 33 T. 12. N. R. 10 W.
40.00	Set the trip. post on the new line from which Borne. 13 in dist. bears S 33 W. 47 lbs. ash; to Beach 18 " " " N 43 E. 41 " "
80.00	Set the trip. post on the new line for the cor. of sec. 32 & 33 from which N Oak. 14 in dist. bears N 72 E. 34 lbs. ash and a Beach. 14 " " " N 41 W. 49 " "
Surveyed by William Harris Esq.	
June 7 1828. Commenced T. 12. N. R. 10 W.	
Set a post on the State line between Indiana & Illinois at the intersection of the Township line between T. 11 & 12 N. R. 10 W. South side of sec. 33. from which N Oak. 21 in dist. bears N 16 E. 30 lbs. ash; to First Borne. 10 " " " N 85 E. 14 " " and a Do. 10. 18 " " " N 20 W. 57 " " to Heap 728 in dist. bears S 75 W. 59 lbs. ash;	
East	On the South B. of sec. 33. T. 12 N. R. 10 W.
22.90	To the 1 <sup>st</sup> post
62.40	To the cor. of sec. 33 & 34
West	On the South Borne of sec. 33. T. 12 N. R. 10 W.



16.85 To the post on of ear 32733 by W. Polke. L.S.

### Sub-divisions

North Return Sur 35 T36. T. H. N. R. 1077

40.00 Set a 7/8 cup post from which

Beck. 18 in dist from A49 E. 11 lbs ash; to

Do. 12 " " " 43277. 12 " "

53.00 To a Brook 10 lbs mid. Corner N.

62.00 " " Spring Corner N.

80.00 Set a post for the cn. of ear 25, 26, 35 T36. from which

Beck. 40 in dist from A36 E. 16 lbs ash; to

Blue ash 10 " " " 453 E. 28 " "

Send the same. local and rich Iron to (Hick) ash, & E.

East On a Random line between Sur 25 T36. T. H. N. R. 1077

4.00 To a spring Corner N.

25.00 " " Brook 10 lbs mid. Corner N. N.

40.00 Set a timber 7/8 cup post

79.91 Enter cut the N T36 line on E. D. at the cn of ear 25 T36.

Send the same

West On the same line between Sur 25 T36. T. H. N. R. 1077

39.95 Set the timber 7/8 cup post at the cn ash on the same line

from which Engon. 30 in dist from A44 E. 26 lbs ash

and on Blue. Ash 10 " " " 46 E. 21 " "

49.91 To the post on of ear 25, 26, 35 T36

### Sub-divisions

North Return Sur 35 T36. T. H. N. R. 1077

40.00 Set a 7/8 cup post in prairie.

80.00 Set a post for the cn of ear 25, 26, 35 T36. in prairie.

Send local and rich soil

East On a Random line between Sur 25 T36. T. H. N. R. 1077

40.00 Set a timber 7/8 cup post

80.00 Enter cut the East D. at the post on of ear 25 T36.



199

T. N. H. R. No 1077 2<sup>nd</sup> Ann. Ind.

Same the same.

West 40.00 80.00	On the same line between Dec. 25 & 26. T. H. R. 1077 Set the temp. 7 <sup>th</sup> eu post at the ar creek on the same line in prairie. No bearing trees. To the post on of Dec. 25, 26 & 35 & 36.
North 22.00 40.00 51.50 65.00 80.00	Between Dec. 25 & 26. T. H. R. 1077. To a point bearing N. Set a 7 <sup>th</sup> eu post in prairie. To timbered land To prairie. Set a post for the end of Dec. 23, 24, 25 & 26 in prairie.
East 19.00 35.00 40.00 79.94	On a R. com. line between Dec. 24 & 25. T. H. R. 1077 To timbered land To prairie. Set a temp. 7 <sup>th</sup> eu post Enter cut the East R. 10 <sup>th</sup> N. of the post on of Dec. 24 & 25. Same the same.
West 39.97 79.94	On the same line between Dec. 24 & 25. T. H. R. 1077 Set the temp. 7 <sup>th</sup> eu post at the ar creek on the same line from in prairie. To the post on of Dec. 23, 24, 25 & 26.
North 40.00 21.30 40.00 80.00	Between Dec. 23 & 24. T. H. R. 1077 To timbered land To a Brook. 25 <sup>th</sup> the river, comes N. W. Set a 7 <sup>th</sup> eu post from which Sugar 9 in direction S 72 E 35 the creek; and on W Oak 10 " " " N 44 E 35 " " Set a post for the end of Dec. 23, 24, 25 & 26 from which W Oak 18 in direction N 88 W 84 the creek; for Maple 20 " " " S 6 W 92 " "

Same & the same. Trunked Oak Heart, ash, &c.

East Okauchanambi between Dec 13 + 24. 711. NR. 10m

40.00 Det, a temp 7 1/2 lb post

70.00 To a Brook, 50 lbs wide corner S.E.

19.50 Enter cut the East D. 58 lks North of the first cr of  
Sw. 123 & 24

Send me and hold Imita Sugar, Kicks, MacBony,  
Walnut, &c.

West On the same line between Dec. 13 & 24, T. 11. N. R. 10. W.

39.75. Got the temp. of the cupost at the ar. arch on the Am. line  
from which, I cast 20 in diam. beam N 19 W 16 N. arch  
under a Blue. Arch. 18 " " " " S 11 E. 24 " "

4950 To the post on of w. 13. 14. 23 & 24.

North Between Dec 13 & 14. 7 11. N R. 10 m.

40.00 Left a 7<sup>th</sup> support from which a

Go out 18 in water hms. N 19 E 14 Mts met; sta  
N Oak. 12 " " " N 35 W 32 " "

49.00 Set apart Left Bank of the Wabash River for the con.  
of Grad. Secs. 13 & 14. Gum, which

Ingr 10 in diam lens \$31 M. 27 lbs each; vs  
Reflex. 14 " " " \$41 E. 57 " "

8050 The corner of sec. 11. 12. 13 174 in the Wabash River  
Lower the same.

Meet Between Jan 12th & 3. 7. 11. MR. 10 M

40,000  $\frac{1}{2}$  of a  $\frac{1}{4}$  capost from which,

Heute 18 in d. d. h. m. 1777 78 Uhr nach,

74. 75. N. Beach. 8 in. deep. Stands for the end of Grad. C. C.  
12 & 13. On the Left BR of the Wabash River  
Down the S. corner.

North Between Dec 11 770 9 11 A.R. 15 W

12.22 Set a post on the Right Bank of the Nabash River



T. N. H. N. R. No 10. 72<sup>nd</sup> Mr. Ind.

Land not an rolling Timber Sugar. Bush &amp; Oak,

North	Between Sec 34 & 35. T. 11. N. R. 10 W
40.00	Set a 7/8 cu post
80.00	Set a post for the cu of sec. 26. 27. 34 & 35. in prairie.
East	On a Rem am line between Sec 26 & 35 T. 11. N. R. 10 W
40.00	Set a temp 7/8 cu post
80.00	Intersect the N & S line. 20 lbs South of the post on off Sec. 26. 27 & 35 & 36. Land all prairie.
West	On the line between Sec 26 & 35. T. 11. N. R. 10 W
40.00	Set the temp 7/8 cu post on the line at the ar dish in prairie.
80.00	Set the post on sec. 26. 27. 34 & 35.
North	Between Sec 26 & 27. T. 11. N. R. 10 W
40.00	Set a 7/8 cu post
80.00	Set a post for the cu of sec. 22, 23, 26 & 27 at the N. Edge of a prairie. From which Heads 10 in dia. have 50 E. 53 lbs dish;
East	On a Rem am line between Sec 23 & 26. T. 11. N. R. 10 W
25.00	To a Brook 30 lbs mid, corner N.E.
40.00	Set a temp 7/8 cu post
68.00	To said Brook 30 lbs mid, corner N.E.
77.00	To a Prairie.
80.00	Intersect the N & S line 40 lbs South of the post on off Sec. 23. 24. 25 & 26. Land level Timber Oak & Hick.
West	On the line between Sec 23 & 26. T. 11. N. R. 10 W
40.00	Set the temp 7/8 cu post at the ar dish on the line from which Bush 4 in dia. have 57 E. 6 lbs dish and an Oak. 45 " " " 57 N 25 lbs







T. N. N. R. N. N. 11. 2<sup>nd</sup> (Mr. Laid)

51.00 To a point 30 M, mid E & W  
 80.00 Got a post for the Cn of ew. 11. 14 & 15 from which  
 Buck 24 in dist bears S13W. 42 lbs dist; 17  
 Do. 20 " " " S56W. 20 " "  
 Laid the same.

East Between Dec. 11, 174 J. 11. N. R. 10W  
 22.50 Got a post on the Right BR of the Matash River for  
 the Cn of track Dec. 11, 174 from which  
 Maple 18 in dist bears S85E 11 lbs dist; 15  
 Do. 20 " " " N54W 9 " "

South Between Dec. 10 & 11 J. 11. N. R. 10W  
 40.00 Got a 7<sup>th</sup> eupost from which  
 Black 8 in dist bears S17E. 34 lbs dist; 4  
 W Walnut 8 " " " N84W 27 " "  
 80.00 Got a post for the Cn of ew. 2, 3, 10 & 11 from which  
 Pecor 4 in dist bears N58E. 5 lbs dist; 15  
 Do. 4 " " " N55W 4 " "  
 Laid the same.

East On a Ramman line between Dec. 2 & 11 J. 11. N. R. 10W  
 35.00 To a Brook 20 M, mid, corner S.E.  
 40.00 Got a temporary eupost.  
 81.13 Laid out the NTS line 30 M South of the post on  
 of ew. 1, 2, 11 & 12  
 Laid hole and note.

West On the same line between Dec. 2 & 11 J. 11. N. R. 10W  
 40.56 Got the temporary 7<sup>th</sup> eupost at the corner on the same line  
 from which a Hackberry 18 in dist bears South 1 M dist  
 81.13 To the post on ew. 2, 3, 10 & 11

North Between Dec. 2 & 3 J. 11. N. R. 10W  
 40.00 Got a 7<sup>th</sup> eupost from which  
 Poplar 18 in dist bears S20W 38 lbs dist; 15

T. N. 11. N. R. N. 1072<sup>nd</sup> Mn. Ind. 205

79.02	<p>Beck. 15 in dia: beam. N22E 51 lbs net;</p> <p>Enter at the N. B. road 343 lbs West of the post on of</p> <p>Sec 34 &amp; 35. T. 12 N. R. 10 W. on a lot a post for the Cn.</p> <p>of sec 213 from which</p> <p>Engon 18 in dia: beam. S19 W 32 lbs dish; &amp;</p> <p>Beck 18 " " " S46 W 47 " "</p> <p>Land the same.</p>
<p>North</p> <p>21.50</p> <p>40.00</p> <p>85.00</p>	<p>Between Sec 33 &amp; 34 T. 11. N. R. 10 W.</p> <p>To a prairie. 8 ch. m. w.</p> <p>Set a 1/2 in support from which</p> <p>Engon 18 in dia: beam. N69 W. 25 lbs dish; &amp;</p> <p>N. B. R. 30 " " " N1 W 21 " "</p> <p>Set a post for the Cn of sec 27, 28, 33 &amp; 34 from which</p> <p>N. B. R. 8 in dia: beam. S5 W. 34 lbs dish; &amp;</p> <p>N. B. R. 8 " " " N58 W 17 " "</p> <p>Land both Timber Oak &amp; Hickory &amp; Ash.</p>
<p>East</p> <p>3.00</p> <p>40.00</p> <p>80.00</p>	<p>Open Run and line between Sec. 27 &amp; 34 T. 11. N. R. 10 W</p> <p>To a Prairie.</p> <p>Set a temporary 1/2 in post</p> <p>Enter at the N. B. line 8 lbs South of the post Cn of</p> <p>Sec 26, 27, 34 &amp; 35.</p> <p>Land the same.</p>
<p>West</p> <p>40.00</p> <p>80.00</p>	<p>On the same line between Sec. 27 &amp; 34 T. 11. N. R. 10 W</p> <p>Set the temporary 1/2 in post at the corner on the same line</p> <p>in the prairie.</p> <p>To the post Cn of sec 27, 28, 33 &amp; 34</p>
<p>North</p> <p>40.00</p> <p>48.50</p> <p>80.00</p>	<p>Between Sec. 27 &amp; 28 T. 11. N. R. 10 W</p> <p>Set a 1/2 in support from which</p> <p>Heater 22 in dia: beam. N30 E. 14 lbs dish; &amp;</p> <p>Li. 12 " " " S12 W 38 " "</p> <p>To a Decid 24 in dia: in the line.</p> <p>Set a post for the Cn of sec 21, 22, 27, &amp; 28 from which</p>

## T. N. 11. N. R. 10 2nd Mer. Ind.

Elm 10 in diam. bears. S42E. 18 lbs. arch; 13  
 Do. 20 " " " West 26 " "  
 Lumber the same.

East On a Kiamish line between Dec. 22 1927. T. 11. N. R. 10 W.  
 30.50 To a Pond or Brook 120 lbs. mid; Co. Mo.  
 40.00 Set a trap 7 1/4 cu post  
 80.00 Intersect the N 13 line 18 lbs. South of the first  
 Cr. of Sep. 22, 23, 26 1927.  
 Lumber the same.

West On the same line between Dec. 22 1927. T. 11. N. R. 10 W.  
 40.00 Set the trap 7 1/4 cu post at the ar arch on the same line  
 from which, BTR about 15 in diam. bears. S81W 17 lbs. arch  
 under a Bush. 12 in diam. bears N30W 16 " "  
 80.00 To the first cr. of Sep. 21, 22 27 1928

North Between Dec. 21 1922. T. 11. N. R. 10 W.  
 38.50 Set a post on the Left BR of the Nebraska River for the  
 cr. of fract. Dec. 21 1922 from which  
 Lumber 8 in diam. bears. N32E. 15 lbs. arch; 13  
 Red Bud 6 " " " S44E 9 " "  
 40.00 The 7 1/4 cu post on cr. in the River  
 49.50 Set a post on the Right BR of the Nebraska River for the  
 cr. of fract. Dec. 21 1922. from which  
 Lumber 24 in diam. bears. N38E. 6 lbs. arch; 13  
 Do. 18 " " " N10W 7 " "  
 80.00 Set a post for the cr. of Sep. 15, 16, 21 1922 from which  
 Red 8 in diam. bears. S44W 23 lbs. arch; 13  
 Do. 6 " " " N50E. 6 " "  
 Lumber the same.

East On a Kiamish line between Dec. 15 1922. T. 11. N. R. 10 W.  
 40.00 Set a trap 7 1/4 cu post  
 73.00 To a Brook 20 lbs. mid. Lumber S.E.  
 79.60 Intersect the N 13 line 30 lbs. South of the first cr. of

I. N. N. R. N. 10th 2nd Mr. Ind. 207

Dec. 14, 15, 22 & 23.

[illegible]

North  
1.50 Between Aug 15 & 16. J. 11. N. R. 10 W  
4.50 To a Brook. 18 Mo mid, lower N E.  
4.50 " " 12 1. 4 " " " E.  
40.00 Set a trap for fox from whips  
N at mt. 8 in dist. from. 14 E 19 Mo. dist. to  
Poplar. 18 " " " 18 E 27, "  
80.00 Set a trap for the fox in of ear. 9. 10 15 & 16. from whips  
Sugar 12 in dist. from. N 58 E 36 Mo. dist. to  
Do. - " " " N 23 E 52, "  
Don't do the same.

East On a Kanam line between Aug 10. & 15. 711. 177 R. 10 m  
32.00 In Brook 10 lbs side corner O. E.  
40.00 Set a trap 7/4 in post.  
49.07 In a cut on NTS line 37 lbs North of the first camp  
Aug. 10. 11. 14 & 15.  
Sun & the same.

Nest  
 39.531p  
 49.87  
 On the line between Sec. 10 & 15 T. 11. N. R. 18 W.  
 Set the trap 7 1/4 cups at the ar arch on the line from  
 which Sugar. 12 in dist. from. N 4 W. 29 lbs each  
 under Gym. 8 " " " N 85 W. 14 " "  
 Took poscrops at 9. 10. 15 & 16.  
 Found the same.

North Between Lat 9 N. L. 11. N. 10 W.  
40.00 Lat a 7<sup>th</sup> aspect from object,  
Beak 8 in diam. base. South 30 lb. net, 10



80.00	<p>Sagon 12 in dist. bear. 926 N. 21 lb. ash;</p> <p>Set a post for the cr of ew. 3 4. 9 110 from which,</p> <p>Newk 120 in dist. bear. N 39 E. 30 lb. ash; 13</p> <p>N. Oak. 10 " " " 866 N. 8 " "</p> <p>Lead the same.</p>
East 4000 79.00	<p>On a Random line between Dec. 3 &amp; 10. J. 11. N.R. 10 N.</p> <p>Set a temp. 7 1/2 support</p> <p>Inter cut the N 13 line at the post cr of ew. 2. 3. 10 &amp; 11.</p> <p>Lead the same.</p>
West 39.50	<p>On the line between Dec. 3 &amp; 10. J. 11. N.R. 10 N.</p> <p>Set the temp. 7 1/2 post at the new dist. on the line for the</p> <p>cr of 74 lb. from which,</p> <p>N 30 E. 15 in dist. bear. 835 E. 19 lb. ash; 13</p> <p>Do. — " " " 818 N. 13 " "</p> <p>79.00 To the post cr of ew. 3 4. 9 110.</p>
North 4000 79.50	<p>Between Dec. 3 &amp; 4. J. 11. N.R. 10 N.</p> <p>Set a 7 1/2 support from which,</p> <p>Newk 120 in dist. bear. N 44 N. 23 lb. ash; 13</p> <p>Do. 10 " " " 847 N. 32 " "</p> <p>Inter cut the N Borm. 142 lb. East of the post cr.</p> <p>of ew. 33 &amp; 34. J. 12. N.R. 10 N. and set a post for the</p> <p>cr of " 3 &amp; 4. from which,</p> <p>N. Oak. 12 in dist. bear. N 47 N. 35 lb. ash; 13</p> <p>N. Oak 8 " " " 845 N. 29 " "</p> <p>Lead the same.</p>
North 1409 2827	<p>Between Dec. 32 &amp; 33 J. 11. N.R. 10 N.</p> <p>Set a post on the Left BR of the Wabash River for the</p> <p>cr of Grav. Dec. 32 &amp; 33. from which,</p> <p>Sagon 20 in dist. bear. N 80 N. 13 lb. ash; 13</p> <p>Beak 5 " " " 861 E. 24 " "</p> <p>Set a post for the cr of Grav. Dec. 32 &amp; 33 on the Right</p> <p>BR of the Wabash from which,</p>



40.00 N Oak 11 in diam. 80 N. 5 the dist; to  
Heckberg. 18 " " 27. E. 42, "  
Dist a 1/4 cuper from which  
Heckberg. 9 in diam. 22 E. 3 the dist; to  
Do. 10 " " " N 17, "  
77.00 To a Pond.  
80.00 Dist a post for the cross 28. 29. 32 133 from which  
Maple. 25 in diam. N 81 E. 49. the dist; to  
Land over; Lumber Maple. Newby Park,

East Between Sec 28 & 33. J. H. R. 1072.  
10.00 To the East Edge of the pond  
33.10 Dist a post on the N. 13 R of the Mabash for the cross  
fract. Sec. 28 133  
West Between Sec. 28 133.  
35.22 An Elm. 22 in diam. stands on the Left BR. of the  
Mabash for the cross fract. Sec. 28 133.  
Lumber Oak.

Surveyed by  
A. Henry Esq.

June 6. 1828. From Stone Pillar at the South  
end of the State line dividing the States of Indiana &  
Illinois marked on the West side Illinois in Capital as  
to the East side Indiana. on the North 159 miles &  
47 ch. to Lake Michigan from thence on the Mabash  
with the Meander.

N 70 E 10.00  
N 39 E 5.50  
N 8 W. 6.00  
N 15 W. 19.00  
N 6 E 16.00  
N 28 E 16.14 To the intersection of the line between Sec. 28 133.

From the Stone Pillar South end of the State line thence  
to the Mabash

N80W 5.50  
 N50W 6.50  
 N37W 6.25  
 N40W 1.75 In the intersection of the line between Dec 28 1833  
 Set a post from which  
 Hackberry 24 in dist. from. N60E 38 the north  
 From the pillar at the South end of the State line. Thence  
 North With the State line  
 6253 Intercept the line between Dec 28 1833 & set a post on the  
 State line from which  
 Buckeye 8 in dist. from. N65W 9 the north; to  
 Hackberry 15 " " " S26W 17 " "  
 Buckeye 10 " " " N62E 32 " "  
 Hackberry 18 " " " S63E 46.

West Between Dec. 28 1833 J. H. N. R. 1077  
 15.80 Take care of Dec. 28 29. 32 1833. in monthly form  
 East Between Dec 28 1833 J. H. N. R. 1077  
 17.20 To a map, 24 in dist. It ends for the cov.  
 by William Folke Esq.

North Between Dec. 28 1829 J. H. N. R. 10. 77  
 27.00 To a very land  
 40.00 Set a new post from which  
 Hickory 10 in dist. from. S44E 13 the north; to  
 Birch 7 " " " N14W 14 " "  
 80.00 Set a post for the care of Dec. 20. 21. 28 & 29 from which  
 Sycamore 40 in dist. from. S86W 10 the north; to  
 Elm 25 " " " N65W 10 " "  
 Land and a creek  
 by A. Morris. Esq.

East Between Dec. 21 1828 J. H. N. R. 1077  
 0.70 To a Brook 18 the north. N. E.  
 14.00 To a Brook 18 " " " S7W

1211

J. N. H. N. R. N. 10 W 2nd Mer. Ind.

22. 88. Set a post for the cor of sec. 21 & 28 on the Right Bk of the  
Matash River from which

Elm. 6 in diam. beam. N 12 E. 7 the rock; 25

ash. 10 " " " S 36 E 5 " "

Sum at the same.

West Between Sec. 21 & 28. T. 11. N. R. 10 W

40. 00 Set up a post from which

Locust 6 in diam. beam. S 51 E. 13 the rock; on

Matash " " " N 51 W. 4 " "

49. 33 Set a post on the Left Bk of the Matash River for the  
cor of frac. Sec. 21 & 28 from which

Elm. 10 in diam. beam. S 47 E. 11 the rock; 25

Do. 10 " " " N 47 W. 17 " "

by A. Henric. D.S.

From the cor of sec. 28 & 33. on the Right Bk of the Matash  
thence up stream

N 20 E. 10. 00

N 20 W. 8. 50

N 22 W. 5. 00

N 34 W. 26. 00

N 12 W. 10. 50

N 20 W. 17. 50

N 15 E. 9. 50 To the post on the line between Sec. 21 & 28  
Set a post on the State line for the cor of sec. 21 & 28.

from which Beach. 20 in diam. beam. S 75 E. 10 the rock;

and " Beach 20 " " " N 30 E. 53 " "

and " Beach 20 " " " S 44 W. 23 " "

" " Beach 24 " " " S 80 W. 36 " "

East Between Sec. 21 & 28. T. 11. N. R. 10 W From state line

4. 75 To the post on the River Bk which stream is for the cor of sec.  
21 & 28. Corners defined by marks &c

West Between Sec. 21 & 28 T. 11. N. R. 10 W From state line.

16. 00 To the cor of sec. 20. 21. 28 & 29. Bearings from as described



T. N. 11. N. R. N. 1077 2nd Mer. Ind. 213

West From the State line between Dec. 16 & 21. T. 11. N. R. 1077  
 16.50 To the first cor of ew. 16.17 to 21.  
 by William Polke L. S.

North Between Dec 16 & 17. T. 11. N. R. 1077  
 40.00 Set a pi. e. post from which  
 Bench. 11 in dist. from. East 12 lbs. mark; 45  
 No. 18 " " " 15377.15 "  
 80.00 Set a post for the cor of ew. 8.9.16.17 from which  
 Bench. 11 in dist. from. S. 48 E. 28 lbs. mark; 45  
 S. 28 E. 29 " "  
 Land rolling from soil Timber Bench, Oak, etc.

East On a line from line between Dec. 9 & 16. T. 11. N. R. 1077  
 20.00 To a Bench. 22 lbs. mark. Co. S.  
 40.00 Set a transp. pi. e. post  
 42.00 To a Bench. 15 lbs. mark. Co. S.  
 80.36 To the first cor of ew. 9.10.15 & 16.  
 Land the same.

West On the line from between Dec. 9 & 16. T. 11. N. R. 1077  
 40.08 Set the transp. pi. e. post at the cor mark on the line from which  
 Bench. 10 in dist. from. N. 17 W. 1 lbs. mark;  
 on N. W. No. 12 " " " 6377.4 " "  
 80.36 To the first cor of ew. 8.9.16.17  
 by A. Kenna L. S.

A. Eng. m. 12 in dist. at right for the cor on the State  
 line between Dec. 9 & 16. from which  
 No. 18 in dist. from. S. 46 E. 48 lbs. mark; 10  
 No. 24 " " " N. 12 E. 16 " "

East Between Dec. 9 & 16. T. 11. N. R. 1077  
 23.95 To the pi. e. post  
 64.50 To the first cor of ew. 9.10.15 & 16.  
 Corners as described



West Return Jul 9 & 16 J. H. R. 1017  
 16.60 To the post on of ew. 8.9. 16 & 17.  
 Corner as described.

by William Polke Esq.

North Return Jul 8 & 9 J. H. R. 1017

35.00 To Brook 25 the mid, corner & E.

40.00 Set a post from which,

Cottam 8 in air line S & E. 22 the mid; to

10. 8 " " " S & E. 20 " "

80.00 Set a post from the corner of ew. 4.5. 8 & 9 from which,

Sassapar 5 in air line S & E. 31 the mid; to

Agua 15 " " " S & E. 12 " "

See the same

East On a Run am line between Jul 4 & 9 J. H. R. 1017

40.00 Set a transp. in a post

46.00 To Brook 18 the mid, corner & E.

81.00 Set a post on the N & S line at the corner of ew. 3. 4. 9 & 10  
 See the same.

West On the am line between Jul 4 & 9 J. H. R. 1017

40.50 To the post on of ew. at the corner with the two lines from  
 which, 17. 18 in air line East 75 the mid

81.00 To the post on of ew. 4.5 8 & 9.

Sur. by A. Kennin Esq.

Set a post on the State line on the line between Jul 4 & 9.

from which, 20 in air line S & E. 53 the mid

and a Sassapar 5 " " " S & E. 54 " "

and a Brook 10 " " " S & E. 25 " "

and a 17. 18. 24 " " " S & E. 14 " "

East Return Jul 4 & 9 J. H. R. 1017 from the line

23.25 To the in a post

64.00 To the corner of ew. 3. 4. 9 & 10. See the same; Run am post.

J. N. H. R. N. 1072<sup>nd</sup> (Mm. Ind. 215)

West	Return Aug 4 & 9 J. H. N. R. 10 M. From state min.
17.00	Total cost of work 45.8 & 9
	Corr as described.
North	Return Aug 4 & 3 J. H. N. R. 10 M.
40.00	Set a post from which
	Suzer. 10 in diam. 22 E. 40 lbs. net; 8
	W. Oak. 10 " " " 46 E. 46 " "
19.78	Intersect the N. R. 24 lbs. West of the first cor of sec. 32 & 33
	J. H. N. R. 10 M. and set a post from the cor of sec. 4 & 5 from
	which, West 10 in diam. 24 E. 8 lbs. net; 8
	W. Oak. 35 " " " 67.25 " "
	Land the same.
Meanders of the Left Bank of the Nebraska River	
Commencing in the South 33 of sec. 32 J. H. N. R. 10 M.	
Down up stream in sec. 32	
N. H. N. 10.00	
N. 36 E. 19.00	
N. 69 E. 19.00	
N. 75 E. 12.50	
N. 46 E. 19.00	Total cost of work 32 & 33.
N. 44 E. 16.00	
East 11.50	In sec. 33.
N. 46 E. 26.00	Long Brook, 30 lbs. mid,
N. 10 W. 35.00	
N. 25 E. 28.00	Total cost of work 28 & 33.
N. 6 W. 21.00	
N. 25 W. 38.00	In sec. 28.
N. 15 E. 25.00	Total cost of work 21 & 28
N. 17 E. 19.60	
N. 51 E. 30.00	
N. 88 E. 21.00	Total cost of work 22 & 28.

East.	52.60.	
N 69 E.	30.00	To the cn of rev. 32 123. T. H. N. R. 1077
N 54 E	52.20.	To the cn of rev. 14 123. T. H. N. R. 1077
N 20 E.	12.50	
N 29 77	13.00	
N 53 77	33.00	In rev. 14
N 22 E.	33.10	
N 84 E	54.00	To the cn of rev. 13 174
N 81 E.	52.0	To the cn of rev. 12 123. at the head of an Island
N 75 E.	15.50	
N 55 E.	14.00	
N 60 E.	26.50	In rev. 12
N 18 E.	18.00	T. H. N. R. 1077
N 9 77	32.30	
N 62 E.	13.00	To the cn of rev. 1 170
N 62 E.	15.50	To the east 137 of rev. 1. T. H. N. R. 1077
Meander of the Right BR of the Nabash River Commencing in the South 137 of rev. 32' then up Stream		
N 12 77	10.00	
N 29 E.	20.00	
N 48 E.	10.50	In rev. 32
N 68 E.	17.50	
East	12.15	
S 53 E.	22.80	To the cn of rev. 32 133
N 45 E.	19.00	
East	6.80	
N 30 E.	14.20	In rev. 33.
N 9 77	28.00	

J. N. H. H. R. N. 1877 2<sup>nd</sup> Mm. Ind. 217

N16 E.	13.50	
N26 E.	15.00	To the post car of ew. 28933.
N37 N.	18.00	
N25 N.	37.50	In Lu. 28
N11 E.	29.50	To the car of ew. 21728.
N11 E.	29.50	at 100th m this corner N Brook. 50 lbs. diron
N51 E.	37.80	In Lu. 21.
N87 E.	25.00	To the car of ew. 21722.
East	53.00	In Lu. 22.
N71 E.	28.30	To the car of ew. 22723.
N55 E.	37.00	To the car of ew. 14723.
N38 E.	11.50	
N22 N.	9.00	
N53 N.	33.00	In Lu. 24
N7 N.	8.50	
N20 E.	28.00	
N51 E.	13.30	To the post car of ew. 11714.
N76 E.	26.20	
N80 E.	30.00	To the post car of ew. 11712.
N80 E.	11.50	
N63 E.	28.50	
N18 E.	15.20	In Lu. 12.
N9 N.	27.20	
N24 E.	10.00	To the car of ew. 1712
Lo.	4.00	
N64 E.	31.00	To the East 107 of ew. 1
		Surveyed by
		A. Herwin. L.S.



T. N. M. R. N. 10 M 2<sup>nd</sup> (Mm. Sud.)

I certify that the foregoing Transcript of the field notes of Township N. 11. North of Range N. 10 West of the 2<sup>nd</sup> Principal Meridian, has been compared with the Original notes in this office and found to be correct.

Surveyor General's Office  
Cincinnati, Sept. 21. 1841.

Sut. Gen.